


<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>Date of printing: 11/03/2016</b>		
<b>ERIBEA</b>	<b>Page: 1/14</b>	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### **ERIBEA**

An emulsifiable concentrate containing 100 g/L (10.9% w/w)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

### 1.3. Details of the supplier of the safety data sheet

**Marketing company:**

Belchim Crop Protection Ltd.  
1b Fenice Court, Phoenix Park  
Eaton Socon, St Neots,  
Cambridgeshire PE19 8EW  
Tel 01480 403333 Fax 01480 403444  
info-uk@belchim.com  
www.belchim.com

### 1.4. Emergency telephone number

BASF: International emergency  
number:  
Telephone +49 180 2273-112

---

## SECTION 2: Hazards Identification


### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 3  
Asp. Tox. 1  
Acute Tox. 4 (Inhalation - vapour)  
Acute Tox. 3 (oral)  
Skin Corr./Irrit. 2  
Skin Sens. 1  
Eye Dam./Irrit. 1  
STOT SE 3 (Vapours may cause drowsiness and dizziness.)  
STOT SE 3 (irritating to respiratory system)  
STOT RE (Peripheral nervous system) 2  
Aquatic Acute 1  
Aquatic Chronic 1

H226, H301, H304, H315, H317, H318, H332, H335, H336, H373, H400, H410, EUH401

For the classifications not written out in full in this section the full text can be found in section 16.

<b>SAFETY DATA SHEET</b>	Version 9 UK	
	Date: 02/02/2016	
Replace : -		
Date of printing: 11/03/2016		
<b>ERIBEA</b>	Page: 2/14	

## 2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.



Danger

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Peripheral nervous system) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

According to Regulation (EC) No 1272/2008 [CLP]


Hazard determining component(s) for labelling: SOLVENT NAPHTHA, ALPHA-CYPERMETHRIN

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>Date of printing: 11/03/2016</b>		
<b>ERIBEA</b>	<b>Page: 3/14</b>	

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

#### Chemical nature

crop protection product, insecticide, Emulsifiable concentrate (EC)

#### Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

#### α-cypermethrin (ISO)

Content (W/W): 10.9 %  
CAS Number: 67375-30-8  
INDEX-Number: 607-422-00-X

Acute Tox. 4 (Inhalation - dust)  
Acute Tox. 3 (oral)  
STOT SE 3 (irr. to respiratory syst.)  
STOT RE 2  
Aquatic Acute 1  
Aquatic Chronic 1  
M-factor acute: 1,000  
M-factor chronic: 1,000  
H301, H332, H335, H373, H400, H410

#### Solvent naphtha (petroleum), light arom.

Content (W/W): < 80 %  
CAS Number: 64742-95-6  
REACH registration number: 01-2119455851-35

Asp. Tox. 1  
Flam. Liq. 3  
STOT SE 3 (drowsiness and dizziness)  
STOT SE 3 (irr. to respiratory syst.)  
Aquatic Chronic 2  
H226, H304, H335, H336, H411, EUH066  
EUH066

#### 2-methylpropan-1-ol; iso-butanol


Content (W/W): < 2 %  
CAS Number: 78-83-1  
EC-Number: 201-148-0  
REACH registration number: 01-2119484609-23

Flam. Liq. 3  
Skin Corr./Irrit. 2  
Eye Dam./Irrit. 1  
STOT SE 3 (drowsiness and dizziness)  
STOT SE 3 (irr. to respiratory syst.)  
H226, H318, H315, H336, H335

#### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs.

Content (W/W): < 0.5 %  
CAS Number: 68608-88-8  
EC-Number: 271-807-5

Acute Tox. 4 (oral)  
Skin Corr./Irrit. 1C  
Eye Dam./Irrit. 1  
Aquatic Chronic 2  
H302, H314, H411

<b>SAFETY DATA SHEET</b>	Version 9 UK	
	Date: 02/02/2016	
Replace : -		
<b>ERIBEA</b>	Date of printing: 11/03/2016	
	Page: 4/14	

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

### 5.2. Special hazards arising from the substance or mixture

carbon monoxide, hydrogen chloride, hydrogen cyanide; hydrocyanic acid, Carbon dioxide, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.


### 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
	<b>Replace : -</b>	
<b>ERIBEA</b>	<b>Date of printing: 11/03/2016</b>	
	<b>Page: 5/14</b>	

---

## SECTION 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.


Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>ERIBEA</b>	<b>Date of printing: 11/03/2016</b>	
	<b>Page: 6/14</b>	

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Components with occupational exposure limits

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet.

78-83-1: 2-methylpropan-1-ol; iso-butanol

TWA value 154 mg/m<sup>3</sup> ; 50 ppm (WEL/EH 40 (UK))

STEL value 231 mg/m<sup>3</sup> ; 75 ppm (WEL/EH 40 (UK))

### 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).


#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	beige, clear
Odour:	aromatic
Odour threshold:	Not determined since harmful by inhalation.
pH value:	approx. 4 - 6 (water, 1 %(m), approx. 20 °C)
crystal separation:	
Boiling range:	The product has not been tested. approx. 150 - 185 °C Information applies to the solvent.

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>Date of printing: 11/03/2016</b>		
<b>ERIBEA</b>	<b>Page: 7/14</b>	

Flash point:	approx. 44 °C
Evaporation rate:	not applicable
Flammability:	Flammable.
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	447 °C
Vapour pressure:	approx. 0.2 kPa (20 °C) Information applies to the solvent.
Density:	approx. 0.91 g/cm <sup>3</sup> (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	emulsifiable
Partitioning coefficient n-octanol/water (log Kow):	not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, kinematic:	2 mm <sup>2</sup> /s (40 °C)
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating

## 9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability


The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

<b>SAFETY DATA SHEET</b>	Version 9 UK	
	Date: 02/02/2016	
	Replace : -	
<b>ERIBEA</b>	Date of printing: 11/03/2016	
	Page: 8/14	

### 10.5. Incompatible materials

Substances to avoid:  
strong bases, strong acids, strong oxidizing agents

### 10.6. Hazardous decomposition products

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:  
Of high toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:  
LD50 rat (oral): > 210 - < 1,050 mg/kg (OECD Guideline 425)

LC50 rat (by inhalation): 1.96 mg/l 4 h (OECD Guideline 403)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)  
No mortality was observed.

#### Irritation

Assessment of irritating effects:  
May cause severe damage to the eyes. Skin contact causes irritation.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)


Serious eye damage/irritation rabbit: Risk of serious damage to eyes. (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:  
modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406)



<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
	<b>Replace : -</b>	
<b>ERIBEA</b>	<b>Date of printing: 11/03/2016</b>	
	<b>Page: 9/14</b>	

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Solvent naphtha (petroleum), light arom.*

*Assessment of repeated dose toxicity:*

*Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on:  $\alpha$ -cypermethrin (ISO)*

*Assessment of repeated dose toxicity:*

*Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.*


-----

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

May cause paraesthesia. Misuse can be harmful to health.

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>ERIBEA</b>	<b>Date of printing: 11/03/2016</b>	
	<b>Page: 10/14</b>	

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 0.025 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

EC50 (48 h) 0.00061 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) > 85.4 mg/l (growth rate), *Pseudokirchneriella subcapitata*

### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:  $\alpha$ -cypermethrin (ISO)*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria). Poorly biodegradable.*

*Information on: Solvent naphtha (petroleum), light arom.*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Readily biodegradable (according to OECD criteria).*

-----

### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Solvent naphtha (petroleum), light arom.*

*Assessment bioaccumulation potential:*

*Does not significantly accumulate in organisms.*

-----

*Information on:  $\alpha$ -cypermethrin (ISO)*

*Bioaccumulation potential:*


*Bioconcentration factor: 155 - 910 (73 d), *Cyprinus carpio* (OECD Guideline 305 C)*

-----

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>ERIBEA</b>	<b>Date of printing: 11/03/2016</b>	
	<b>Page: 11/14</b>	

*Information on:  $\alpha$ -cypermethrin (ISO)*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: Solvent naphtha (petroleum), light arom.*

*Assessment transport between environmental compartments:*

*Volatility: The substance will slowly evaporate into the atmosphere from the water surface.*

*Adsorption in soil: Adsorption to solid soil phase is expected.*

-----

### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:


Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## SECTION 14: Transport Information

### Land transport

ADR

UN number	UN2903
UN proper shipping name:	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (contains ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)
Transport hazard class(es):	6.1, 3, EHSM
Packing group:	III
Environmental hazards:	yes

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>Date of printing: 11/03/2016</b>		
<b>ERIBEA</b>	<b>Page: 12/14</b>	

Special precautions for user: Tunnel code: D/E

RID

UN number: UN2903  
 UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (contains ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)  
 Transport hazard class(es): 6.1, 3, EHSM  
 Packing group: III  
 Environmental hazards: yes  
 Special precautions for user: None known

**Inland waterway transport**

ADN

UN number: UN2903  
 UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (contains ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)  
 Transport hazard class(es): 6.1, 3, EHSM  
 Packing group: III  
 Environmental hazards: yes  
 Special precautions for user: None known  
 Transport in inland waterway vessel: Not evaluated

**ea transport**

IMDG


UN number: UN 2903  
 UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (contains ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)  
 Transport hazard class(es): 6.1, 3, EHSM  
 Packing group: III  
 Environmental hazards: yes  
 Marine pollutant: YES  
 Special precautions for user: None known

**Air transport**

IATA/ICAO

UN number: UN 2903  
 UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (contains ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)  
 Transport hazard class(es): 6.1, 3  
 Packing group: III  
 Environmental hazards: No Mark as dangerous for the environment is needed  
 Special precautions for user: None known

**14.1. UN number**

<b>SAFETY DATA SHEET</b>	Version 9 UK	
	Date: 02/02/2016	
Replace : -		
<b>ERIBEA</b>	Date of printing: 11/03/2016	
	Page: 13/14	

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

#### Further information

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Prohibitions, Restrictions and Authorizations


Annex XVII of Regulation (EC) No 1907/2006: Number on List: 28

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

<b>SAFETY DATA SHEET</b>	<b>Version 9 UK</b>	
	<b>Date: 02/02/2016</b>	
<b>Replace : -</b>		
<b>ERIBEA</b>	<b>Date of printing: 11/03/2016</b>	
	<b>Page: 14/14</b>	

## SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Flam. Liq.	Flammable liquids
Asp. Tox.	Aspiration hazard
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H301	Toxic if swallowed.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
EUH066	Repeated exposure may cause skin dryness or cracking.

This sheet is based on the MSDS of the authorization holder BASF Version 9 of 02/02/2016. The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.