

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Katana
Product code : SL-160 25WG, IBE 3898
Type of product : WG (Water dispersible granule)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Details of the supplier of the safety data sheet

Belchim Crop Protection NV/SA
Technologielaan 7
1840 Londerzeel - Belgium
T +32 (0)52 30 09 06 - F +32 (0)52 30 11 35
info@belchim.com - www.belchim.com

Marketing company

Belchim Crop Protection Limited
1b Fenice Court, Phoenix Park
Eaton Socon, St. Neots
Cambridgeshire PE19 8EW - United Kingdom
T 01480 403333 - F 01480 403444
Info-uk@belchim.com - www.belchim.co.uk

Holder of the authorisation

ISK Biosciences Europe N.V.
Pegasus Park, De Kleetlaan 12B - box 9
B-1831 Diegem - Belgium
T +32 2 627 86 11 - F +32 2 627 86 00
isk-msds@isk.be

1.4. Emergency telephone number

Emergency number : +32(0)14584545
24 H/7 days/English/French/German/Dutch

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS09

Signal word (CLP) : Warning
Hazard statements (CLP) : H410 - Very toxic to aquatic life with long lasting effects.

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautionary statements (CLP)	: P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
EUH-statements	: EUH210 - Safety data sheet available on request. EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea	(CAS-No.) 104040-78-0 (EC Index-No.) 016-085-00-2	25 – 50	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Quarz (SiO ₂)	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	20 – 25	Not classified
Methylnaphtalenesulfonic acid/formaldehyde, copolymer, sodium salt	(CAS-No.) 81065-51-2	< 10	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Sodium diisopropylnaphtalenesulphonate	(CAS-No.) 1322-93-6 (EC-No.) 215-343-3	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Comments : <0.1%
Silica, respirable crystalline

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Consult a doctor/medical service if you feel unwell.
First-aid measures after inhalation	: Move the affected person to the fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash skin with mild soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately rinse with plenty of water. Consult an eye specialist if necessary.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth out with water. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Polyvalent foam. Dry powder. Carbon dioxide. Water spray.
Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours. Nitrous fumes. Hydrofluoric Acid. Sulphur oxides. Carbon monoxide. Carbon dioxide.

5.3. Advice for firefighters

Firefighting instructions : Dilute toxic gases with water spray. Prevent fire fighting water from entering the environment. Contain the extinguishing fluids by bunding (the product is hazardous for the environment).
Protection during firefighting : Gloves. Protective non-flammable clothing. Dust cloud production: compressed air/oxygen apparatus. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid dust production. No naked flames.

6.1.1. For non-emergency personnel

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.1.2. For emergency responders

Protective equipment : Protective gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Contain leaking substance, pump over in suitable containers. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Prevent entry to sewers and public waters. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Prevent dispersion by covering with dry sand/earth.
Methods for cleaning up : Wash contaminated area with large amounts of water.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid dust formation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not discharge the waste into the drain.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove immediately contaminated clothing. Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep the container hermetically sealed.
Incompatible materials : Heat sources.
Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

Herbicide.

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Quarz (SiO ₂) (14808-60-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Silica crystalline (Quartz)
IOEL TWA	< 0,05 mg/m ³ Silica, respirable crystalline
Notes	(Year of adoption 2003)
Regulatory reference	SCOEL Recommendations

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Extraction to remove dust at its source. Provide local exhaust or general room ventilation.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

PVC or other plastic material or natural rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Dust production: dust mask with filter type P1

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granulate.
Colour	: brown.
Odour	: slight.
Odour threshold	: No data available
pH	: No data available
pH solution	: 4,84 (1 %)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not relevant
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not relevant
Density	: 840 kg/m ³ (25 °C)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not relevant
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

9.2. Other information

VOC content	: 0 %
Particles size :	: > 710 µm (97.2 %)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Avoid dust formation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

None to our knowledge.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Katana	
LD50 oral rat	4694 mg/kg bodyweight (male); 4908 mg/kg bodyweight (female) (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 6,17 mg/l/4h

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea (104040-78-0)	
NOAEL (chronic, oral, animal/male, 2 years)	> 70,1 mg/kg bodyweight /day (rat)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

Sodium diisopropylnaphtalenesulphonate (1322-93-6)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Katana	
Viscosity, kinematic	Not relevant

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Katana	
LC50 - Fish [1]	> 100 mg/l (96 Hours) (Oncorhynchus mykiss (Rainbow trout))
EC50 - Crustacea [1]	> 100 mg/l (48 Hours) (Daphnia magna)
ErC50 algae	> 0,2 mg/l (72 Hours) (Pseudokirchneriella subcapitata)
ErC50 other aquatic plants	0,0059 mg/l (7 days) (Lemna gibba)

12.2. Persistence and degradability

flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea (104040-78-0)	
Persistence and degradability	not readily degradable in water.

Methylnaphtalenesulfonic acid/formaldehyde, copolymer, sodium salt (81065-51-2)	
---	--

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Persistence and degradability	Not rapidly degradable.
-------------------------------	-------------------------

12.3. Bioaccumulative potential

flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea (104040-78-0)	
Partition coefficient n-octanol/water (Log Pow)	1,3 (pH 5, 25°C, 99.8%); <-0.06 (pH 7, 25°C, 99.8%)

12.4. Mobility in soil

flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea (104040-78-0)	
Partition coefficient n-octanol/water (Log Koc)	1,77 (pH>6); 2.24 (pH<6)

12.5. Results of PBT and vPvB assessment

Katana
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Do not dispose of with domestic waste.
Product/Packaging disposal recommendations	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of in accordance with relevant local regulations.
Ecology - waste materials	: Do not discharge into drains or rivers.
European List of Waste (LoW) code	: 02 01 08* - agrochemical waste containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
Special provision(s) applied : 375	Special provision(s) applied : 969	Special provision(s) applied : A197	Special provision(s) applied : 375	Special provision(s) applied : 375
These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.				
14.1. UN number				
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron)	Environmentally hazardous substance, solid, n.o.s. (Flazasulfuron)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron)
Transport document description				

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (Flazasulfuron), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flazasulfuron), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user


Overland transport

Special provisions (ADR)

: 274, 335, 375, 601

Orange plates

:



EAC code

: 2Z

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

Classification code (ADN)

: M7

Number of blue cones/lights (ADN)

: 0

Additional requirements/Remarks (ADN)

: * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk.

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Katana

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 %

15.1.2. National regulations

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format	Modified	
1.1	UFI	Added	
2.1	Additional information	Added	
14.1	Additional information	Added	

Data sources : SDS of suppliers.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

The classification complies with : ATP 8

Safety Data Sheet (SDS), EU_2021-01-07

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.